

**AGENDA**  
**WISNER CITY COUNCIL**  
**REGULAR MEETING**  
**February 3, 2020**  
7:00 PM  
COUNCIL CHAMBERS -1111 Ave E  
WISNER, NE 68791

**CALL TO ORDER**

Location of Posted Open Meetings Act (Pursuant to Section 84-1412(8))

**ROLL CALL**

1. Consent Agenda – These items are routine, expected to require little or no discussion and expected to have unanimous Council support. If a Council member wishes to discuss any item on the Consent Agenda in detail, the item will usually be removed and discussed under the appropriate section of the agenda. However, if discussion will only take a few minutes, the discussion may occur during the Consent Agenda portion.
  - 1.A. Agenda
  - 1.B. Minutes – January 21, 2020 Regular Meeting
  - 1.C. Care Center – Accounts Payable – February 2020
  - 1.D. City – Accounts Payable – February 2020
  - 1-E. City & Rural Fire Board – Accounts Payable – February 2020
2. Discussion and Possible Action to Direct the City Building Inspector to Inspect Structures at the Following Common Addresses, Pursuant to City Code Section 3-602: - 809 9 St. and 813 9 St.
3. Water Tower – Discussion and Possible Action Regarding Permitting Mayor to Execute Easement Purchase Agreement for Water Tower and Water Treatment Facility Purposes with Bellars
4. Trails Project – Discussion and Possible Action Regarding Trails Location and Extra Costs and Permits
5. Authorize Next Regular Meeting to be Held on Tuesday, February 18, 2020 Due to Presidents Day Holiday
6. Utility Billings – Report on Receivables
7. Review Building Permit Applications
8. Communications, Reports, Comments by Council, City Officials and General Public
9. Motion to Adjourn to meet in Regular Session on Tuesday, February 18, 2020

The agenda is kept continually current and shall be readily available for public inspection at the office Of The Municipal Clerk/Treasurer. If auxiliary aids or reasonable accommodations are needed for attendance at a meeting, please call the Office of the Municipal Clerk at (402) 529-6616. Advance notice of seven days is needed when requesting an interpreter.